

Selected References for Patient Safety and CPOE

- A primer on physician order entry. (2000, September). *iHealthReport*. California HealthCare Foundation. First Consulting Group.
- A Randomized trial of a computerized-based intervention to reduce utilization of redundant laboratory tests. *American Journal of Medicine*, 1999; 106, 144-50.
- Agency for Healthcare Research and Quality: Reducing and preventing adverse drug events to decrease hospital costs. (2001). Retrieved from <http://www.ahrq.gov/qual/aderia/aderia.htm>
- AHA Guide to Computerized Physician Order-Entry Systems, Nov 2000.
- Ahmad, A. et al. (2002). Key attributes of a successful physician order entry system implementation is a multi-hospital environment. *JAIMA*, 9, 16-24.
- Alleman, R. (2002). The leapfrog group. *Synergy*. 27.
- An electronic nursing assistant, TEPR Conference Proceeding, 1998.
- Ball, et al. (2003). Leveraging IT to improve patient safety. Review Paper to be published in the *Yearbook of Medical Informatics* (IMIA) February 2003.
- Bates, D. et al. (1998). Effect of computerized physician order entry and a team intervention on prevention of serious medication errors. *JAMA*, 208(15), 1311-1316.
- Bates, J. et al. (1999). The impact of computerized physician order entry on medication error prevention. *JAIMA*, 6(4), 313.
- Benko, L. (2002). Embracing Leapfrog: As first hospital systems to join group, HCA, Promina hope to influence policy on patient-safety standards. *Modern Healthcare*. Retrieved from <http://www.modernhealthcare.com/currentissue/pastpost.php3?refid=8898>
- Birkmeyer, J. (ed). (June 2001). Leapfrog Patient Safety Standards: Economic Implications. <http://www.leapfroggroup.org/toolkit/LF.Costs.Final.pdf>
- Cerchiara, K. (July 2000). Show me the money: The tough ROI assessment, how to be assured of return on investment before you sign the contract. *Healthcare Management Technology*. Retrieved from <http://www.healthmgttech.com/>
- Cohen, M. (1998) Medication errors. *Nursing98*, 28(7), 20.
- Cole, C. (2002 July). Getting past buzz to buy-in. *Modern Physician*, 6 (7), 20-22.
- Committee on Quality of Health Care in America, Institute of Medicine. (2001). *Crossing the quality chasm*. Washington, DC: National Academy Press.
- Computer provider order entry systems. [Special Section]. (2001). *Health Devices*, 33 (8-10), 319-359.
- Computerized Physician Order Entry. (2001). Clinical Advisory Board.
- Cuznik, Manso (2002). Measuring Process Improvements in the Implementation of a computerized Physician Order Entry in an Acute and Ambulatory Setting. Proceedings from TEPR 2002.

Selected References for Patient Safety and CPOE

- Dexter, P. R., Perkins, S., Overhage, M. Maharry K., Kohler, R., & McDonald, C. (2001). A computerized reminder system to increase the use of preventative care for hospitalized patients. *New England Journal of Medicine*, 345,965-970.
- Effects of computerized physician order entry on prescribing practices. (2000). *Archives of Internal Medicine*, 160:2741-2747.
- Embedding guidelines into direct physician order entry: simple methods, powerful results. (1999). *JAIMA* Symposium Supplement 1999, 221-225.
- Ferren, A. (2002). Gaining MD buy-in: Physician order entry. *Journal of Healthcare Information Management*, 16(2), 66-70.
- Ganley, J. (1999). Process for cost analysis to evaluate inpatient order entry. NNMC. retrieved from <http://www.dfas.mil/money/milpay/paychart/1999.pdf>
- Geoly, K. (2002). CPOE issues and controversies. Presented at HealthTechNet Meeting, Tyson's Corner, VA.
- Glaser, J. (2002). *The strategic application of information technology in health care organizations*. (2nd ed.). San Francisco: Jossey-Bass.
- Hagop, S. et al. (2002). Immediate benefits realized following implementation of physician order entry at an academic medical center. *JAIMA*, 9(5), 529-539.
- Hieb, B. & Handler, T. (2001). The critical role of orders in the delivery of healthcare. Gartner Report.
- Hieb, B. et al. (2002, September 23). How to gain value from physician order entry. Gartner Report.
- How to comply with JCAHO's standard on verbal orders. HCPro's accreditinfo.com (2002). Retrieved from <http://www.hcpro.com>
- Instilling a measure of safety into those "whispering down the lane" verbal orders. (2001). Institute of Safe Medicine Practices. Retrieved from <http://www.ismp.org/msaarticles/verbalorders.html>
- Kaushal, R., Bates, D. (2001 July). Chapter 6. Computerized physician order entry (CPOE) with clinical decision support systems (CDSSs). *Making Healthcare Safer*. Retrieved from <http://www.ahrq.gov/clinic/ptsafety/chap6.htm>
- Kinyon, C (2002). A CFO discovers the power of the automated patient record. HIMSS Proceedings 2002.
- Kohn, L. Corrigan, J. & Donaldson, M. (Eds.). Committee on Quality of Health Care in America, Institute of Medicine. (2000). *To err is human: Building a safer health system*. Washington, DC: National Academy Press.
- Landro, L. (2002, March 15). Deadly hospital errors prompt group to push for technological help. *The Wall Street Journal*, b1.
- Lee, F. et al. (1996). Implementation of physician order entry: User satisfaction and self-reported usage patterns. *JAIMA*, 3(1), 42-55.

Selected References for Patient Safety and CPOE

- Lovis, C. et al. (2001). Evaluation of a command-line parser-based order entry pathway for the department of veterans affairs electronic patient record. *JAIMA*, 8(5), 486-496.
- Management of information: JCAHO online standards manual. Retrieved from <http://www.hosp.uky.edu/policy/JCAHO/im.html#IM.7.7>
- May, S. (2002 February). Nine tech trends: Computerized physician order entry. *Healthcare Informatics Online*. Retrieved from <http://www.healthcare-informatics.com>
- McDonald, C.J. (1976). Protocol-based computer reminders, the quality of care and the non-perfectibility of man. *New England Journal of Medicine*, 295,1351-5.
- Medical Errors – Sources and Solutions, HIMSS Proceedings, 2001 Session 17, CD version.
- Meindel, N., Wassinger, H. (2002). Computerized physician order entry: The Kingsbrook story. *Health IT Advisory Report*, 3(2).
- Metzger, J. & Turisco, F. (2001). Computerized physician order entry: A look at the vendor marketplace and getting started. The Leapfrog Group and First Consulting Group.
- Morrissey, J. (2001, May 28). Closer look. *Modern Healthcare*.
- Morrissey, J. (2001, May 28). Condition critical for hospital safety. *Modern Healthcare*.
- Morrissey, J. (2001, May 28). Navigating the medication minefield. *Modern Healthcare*.
- Morrissey, J. (2001, May 28). Revising role of pharmacists, nurses. *Modern Healthcare*.
- Morrissey, J. (2002, April 22). Doctor's orders: Computerized decision-support system directs Vanderbilt physicians to the latest treatment data, helping to eliminated unnecessary costs. *Modern Healthcare*.
- Murff, H. & Kannry, J. (2001). Physician satisfaction with two order entry systems. *JAIMA*, 8(5), 499-509.
- Overhage, M. et al. (2001). Controlled trial of direct physician order entry: Effects on physicians' time utilization in ambulatory primary care internal medicine practices. *JAMIA*, 8(4), 361-371.
- Overhage, M. et al. (1997). A randomized trial of 'Collary Orders' to prevent errors of omission. *JAIMA*, 4(5),364-375.
- Overview of MRI survey. (2002, June). Newton, MA: Medical Records Institute.
- Patient safety and computerized medication ordering at Brigham and Women's Hospital. (2001). *Joint Commission Journal on Quality Improvement*, 27 (10), 509-521.
- Payer gives bonus for CPOE. (2002). *Health Data Management Magazine*. Retrieved from <http://www.healthdatamanagement.com/html/news/NewsStory.cfm?DID=8781>
- Practice brief: Verbal/telephone order authentication and time frames. (2001). *American Health Information Management Association*. Retrieved from <http://www.ahima.org/journal>

Selected References for Patient Safety and CPOE

- Raschke, R., et al. (1998). A computerized alert system to prevent injury from adverse drug events, *JAMA*, 280(15), 1317-1320.
- Right drug, wrong route. (2002). *Nursing 2002*, 32(5), 73.
- Safety briefs. (2002, July 24). *ISMP medication safety alert!* 7(15), 1.
- Shojania, K. et al. (2002). Safe but sound: Patient safety meets evidence-based medicine. *JAMA*, 288 (4), 508-513.
- Sims, G. (1999). Valuing investments in clinical information systems. *Nursing Economic\$*, 17(2), 108-112.
- Skarulis, P., Brill, J. & Lehman, M. (2002). Rush physician order entry: From physician resistors to physician champions. HIMSS Proceeding 2002.
- Starr, C. (2001, November). Protecting your patients from medical errors. *Contemporary Pediatrics*. Retrieved from http://www.contemporarypediatrics.com/be_core/k/index.jsp
- Sullivan, A. (2002). Case report: Connected EMS yield measurable ROI. *Healthcare Informatics Online* http://www.healthcare-informatics.com/issues/2002/05_02/casereport.htm
- Taylor R, Manzo J, & Sinnett M. (2002). Quantifying value for physician order-entry systems: a balance of cost and quality. *Healthcare Finance Management*, 56(7), 44-8.
- Teich, J. et al. (2000). Effects of computerized physician order entry on prescribing practices. *Archives of Internal Medicine*, 160(18), 2741-2747.
- The Leapfrog Group fact sheet. Retrieved from http://www.leapfroggroup.org/FactSheets/LF_FactSheet.pdf
- The Leapfrog Group fact sheet: CPOE (2000).
- Traynor, K. (2002). JCAHO retreats on retrospective pharmacy review for CPOE systems. *American Journal of Health System Pharmacy*, 59(15), 1397-1399.
- Trowbridge, R., Weingarten, S. (2001). Chapter 53. Clinical decision support systems. *Making Healthcare Safer*. Retrieved from <http://www.ahrq.gov/clinic/ptsafety/chap53.htm>
- Using BCMA software to improve patient safety in veterans administration medical centers. (2002, January). *Journal of Healthcare Information Management*.
- Waegemann, c. et al. (2002). *Healthcare documentation: A report on information capture and report generation*. Newton, MA: Medical Records Institute.
- Weinfurt, P. & Shapiro, B. (2002). Coalition partners respond to Leapfrog initiative.
- West, D., et al (1994). Pediatric medication order error rates related to the mode of order transmission. *Arch Pediatr Adolesc Med*, 148(12), 1322-6.
- What proportion of common diagnostic tests appear redundant? *American Journal of Medicine*, 1998; 104:371-8.